


# RVL130

rev:2-22-2024

## Build-To Sheet



1: ReVent\_130-150CFM\_template\_051921.ai

3: 130CFM\_wholesale-box\_110821.ai

2: RVL130-150\_manual\_110821.ai

# RVL130



mark here  
(mark on both sides of box)


RVP-268-MU-02  
box  
(shown closed and sealed)

# RVP-860-WH-02

## Label Placement (bottom of shield)



① set switch to 4000K



# RVP-951-00-02

## Label Placement

Date Code (YY-MM)

**Note:** 6" damper covers not yet made, tape with damper label until covers are made

**WARNING:**  
PLEASE REMOVE THE ADHESIVE TAPE BEFORE CONNECTING THE DUCT.

**AVERTISSEMENT :**  
VEUILLEZ RETIRER CE RUBAN ADHÉSIF AVANT DE BRANCHER LA TUYAUTERIE.

**ADVERTENCIA:**  
QUITE LA CINTA ADHESIVA ANTES DE CONECTAR EL CONDUCTO.



RVP-831-WH-01  
6" damper cover

**ReVent**® VENTILATION FAN  
VENTILADOR

| MODEL  | V   | HZ | A    | UL W | CFM | SONE | DATE  |
|--------|-----|----|------|------|-----|------|-------|
| RVL130 | 120 | 60 | 0.39 | 48   | 130 | 0.8  | 20-09 |

- DISCONNECT POWER AT SERVICE ENTRANCE BEFORE CLEANING OR SERVICING
- SUITABLE FOR CEILING INSTALLATION OVER TUB OR SHOWER
- SUITABLE FOR WALL INSTALLATION IN INTERIOR WALL
- NOT FOR USE IN COOKING AREA
- THERMALLY PROTECTED
- SEE INSTALLATION INSTRUCTIONS

- DESCONECTE LA ALIMENTACIÓN EN LA ENTRADA DE SERVICIOS ANTES DE EMPRENDER TAREAS DE LIMPIEZA O DE MANTENIMIENTO
- APTO PARA INSTALAR POR ENCIMA DE LA BAÑERA O DUCHA
- APTO PARA INSTALAR EN PAREDES INTERIORES
- NO DEBE USARSE EN LA COCINA
- POSEE PROTECCIÓN TÉRMICA
- VER INSTRUCCIONES DE INSTALACIÓN

**WARNING:** Acceptable for use over a bathtub or shower when installed in a GFCI protected branch circuit.

**CAUTION:** To reduce the risk of injury to persons, install fan at least 2.5m (8.2') above the floor. To reduce risk of fire and to properly exhaust air, be sure to duct air outside. DO NOT vent exhaust air into spaces within walls or ceilings or into attics, crawl spaces, or garages.

**ADVERTENCIA:** apto para usar sobre una bañera o ducha cuando se instala en un circuito derivado, protegido por un interruptor diferencial (GFCI), por sus siglas en inglés). **PRECAUCIÓN:** para reducir el riesgo de lesiones personales, instale el ventilador al menos a 2.5 m (8.2 ft) sobre el piso. Para reducir el riesgo de incendio y para extraer adecuadamente el aire, asegúrese de canalizar el aire hacia el exterior. NO ventile el aire de escape en espacios entre paredes, bajo techos, en áticos, en sótanos o en garajes.

GTR Technologies Inc.




LED plug

|                                    |                                |
|------------------------------------|--------------------------------|
| 1: RVL130_laser-printing_110821.ai | 3: energy_star_label_120318.ai |
| 2: hvi_label_120318.ai             | 4: LED_plug_label_020720.ai    |

# RVP-951-00-02

## Label Placement (bottom of motor)

**CAUTION:** This Motor APB34-4T2 should be used with housing RVXX130 only.  
**ATTENTION :** Ce moteur APB34-4T2 doit être utilisé uniquement avec le boîtier RVXX130  
**PRECAUCIÓN:** Este Motor APB34-4T2 deberá utilizarse solo con la cubierta RVXX130.



---

# REV LOG

---

| REV DATE  | MODEL/PART NO. | DISCRIPTION  |
|-----------|----------------|--|
| 5/24/2021 | --             | Original build   |
| 5/26/2021 | RVP-830-WH-01  | Added the previously missing page calling out the LED shield label location (page 3)   |
| 6/2/2021  | RVL130-02      | Corrected build-to overall part#, changed from RVL130 to RVL130-02 (page 1-2)  |
| 7/7/2021  | RVP-860-WH-01  | Corrected shield part # (page 1)   |
|           | RVP-951-00-01  | Moved position of "LED plug" label to cover the enclosure hole (page 4)  |
|           | --             | Updated foam and cardboard protective cover configuration (page 1)   |
|           | --             | Updated padding to remove the corner cutout (page 1)   |
| 11/8/2021 | RVP-163-WH-02  | Updated manual (corrected performance specs [Sone, W, CFM] to match HVI report and removed HVI *, R40 changed to R-50) (page 1)  |
|           | RVP-433-00-03  | Screw kit part # updated from -02 to -03 (page 1)  |
|           | RVP-268-MU-02  | Updated box (corrected performance specs [Sone, W, CFM] to match HVI report and removed HVI *, R40 changed to R-50, added patent claim, added box part# to bottom of box, split model ID boxes into 2 sections) (page 1-2) |
|           | RVP-951-00-02  | Updated fan laser printing (corrected performance specs [Sone, W, CFM] to match HVI/UL reports) (page 4)   |
| 2/22/2024 | RVP-860-WH-02  | Updated shield (changed 3L lighting to 5L lighting) (page 1 and 3)   |